

IRON CITY

CATALOG and NET PRICES No. 55

All prices effective September 1, 1955

RECEIVED
OCT 5 1955
THE QUEEN CITY SUPPLY CO.

TABLE OF CONTENTS

Bars.....	6 & 7
Blacksmith Anvil Tools	4 & 5
Chisels	8
Drift Pins.....	22
Eye Specifications.....	3
General Information.....	2
Hammers.....	10 - 13
Hoes	18 & 19
Mattocks	18 & 19
Mauls	22
Miscellaneous Tools.....	22
Picks.....	14 & 15
Railway Maintenance Tools	20 & 21
Sledges	10 - 13
Stone Cutters' Tools	9
Tongs	16
Vises.....	12 & 13
Wedges.....	17

TERMS: 30 days net or 2% for cash if payment is made by 25th of month on invoices rendered between 1st and 15th of month; by 10th of following month on invoices rendered between 16th and end of month. For parcel post shipments add postage, insurance and 10% for extra cost of handling. Minimum Invoice \$1.50.

DELIVERY TERMS: F.O.B. cars, Pittsburgh, Pa.

FREIGHT: Equalized with nearest recognized competing factory producing the item on shipments of 300 lbs. or more. No freight allowance on vises.

Order All Tools by Size or Weight and Catalog Number



IRON CITY TOOL WORKS, INC.

3201 Smallman Street

Telephone: ATLantic 1-6769

Pittsburgh 1, Pa. U.S.A.

Cable address: "IRON CITY"

GENERAL INFORMATION

Steel

The highest quality forging steel best suited for each particular tool is used. This steel is rolled to our specifications and closely inspected before processing.

Handles

Iron City fitted handles are carefully driven to preserve handle strength, and wedged to assure a tight fit for the life of the tool. All handles are manufactured to Iron City specifications from special grade split-grain hickory billets for exceptional strength and toughness. Chemical treatment and lacquering provide maximum protection against weather, wear, and vermin.

Warranty

Any tool bearing the Iron City trademark proving unsatisfactory, being too soft or too hard, or in any way defective will be replaced, providing the defective tool has not been heated or retempered.

Packaging

Where practical, tools ordered in standard quantities, are packed in handy cartons for protection, easy handling and storage.

Special Tools

Prices on forged steel hand tools not listed in this catalog available on request.


EYE SPECIFICATIONS

The eyes of Iron City Tools are forged to the shapes and dimensions prescribed in the U. S. Department of Commerce Heavy Forged Hand Tools Simplified Practice Recommendation.

EYE No. 2


















EYE No. 3



EYE No. 4



EYE No. 5



Taper for typical tool handle

IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.

ANVIL TOOLS


Catalog No.	Size	Weight Each	Net Price Each (Handled)	Net Price Each Tool Only	Length	Eye No.	Eye Size	Handle Length	Square Shank	Stock At Eye	Bit
5 COLD CUTTER 5H*	1 1/4"	2 lbs.	2.06	1.56	6"	3	5/8" x 1 1/8"	16"		1 1/4"	1 1/4"
	1 1/2"	3 lbs.	2.54	2.04	6 3/4"	3	5/8" x 1 1/8"	16"		1 1/2"	1 1/2"
	1 3/4"	5 lbs.	3.65	3.15	7 1/2"	3	3/4" x 1 3/8"	24"		1 3/4"	1 3/4"
6 HOT CUTTER 6H*	1 1/4"	2 lbs.	2.13	1.63	7 1/2"	3	5/8" x 1 1/8"	16"		1 1/4"	1 1/2"
	1 1/2"	3 lbs.	2.55	2.05	8 1/4"	3	5/8" x 1 1/8"	16"		1 1/2"	1 3/4"
	1 3/4"	5 lbs.	3.67	3.17	9"	3	3/4" x 1 3/8"	24"		1 3/4"	2"
13 SQUARE FLATTER 13H*	2"	2 lbs.	2.93	2.43	4 1/2"	3	5/8" x 1 1/8"	16"			
	2 1/2"	3 1/4 lbs.	3.70	3.20	5"	3	5/8" x 1 1/8"	16"			
	3"	4 1/2 lbs.	4.55	4.05	5 1/2"	3	5/8" x 1 1/8"	16"			
	4"	7 1/2 lbs.	8.64	8.14	6"	3	3/4" x 1 3/8"	24"			
15 TOP FULLER 15H*	1/4"	2 1/4 lbs.	2.90	2.40	4 3/4"	3	5/8" x 1 1/8"	16"			
	3/8"	2 1/4 lbs.	2.90	2.40	4 3/4"	3	5/8" x 1 1/8"	16"			
	1/2"	2 1/2 lbs.	2.90	2.40	4 3/4"	3	5/8" x 1 1/8"	16"			
	3/4"	2 3/4 lbs.	2.98	2.48	5 3/4"	3	5/8" x 1 1/8"	16"			
	7/8"	2 7/8 lbs.	3.29	2.79	5 3/4"	3	5/8" x 1 1/8"	16"			
	1"	3 lbs.	3.43	2.93	6"	3	5/8" x 1 1/8"	16"			
	1 1/4"	3 1/4 lbs.	4.02	3.52	6 1/4"	3	5/8" x 1 1/8"	16"			
	1 1/2"	3 1/2 lbs.	4.02	3.52	6 1/4"	3	5/8" x 1 1/8"	16"			
	1 3/4"	2 3/4 lbs.	4.69	4.19	6 1/4"	3	5/8" x 1 1/8"	16"			
	2"	4 lbs.	4.69	4.19	6 1/4"	3	5/8" x 1 1/8"	16"			
16 BOTTOM FULLER	1/4"	2 lbs.		2.40	4 1/4"				7/8"		
	3/8"	2 1/4 lbs.		2.40	4 1/4"				7/8"		
	1/2"	2 1/2 lbs.		2.40	4 1/4"				7/8"		
	3/4"	2 3/4 lbs.		2.48	4 1/4"				7/8"		
	7/8"	2 7/8 lbs.		2.79	4 3/8"				7/8"		
	1"	3 lbs.		2.93	4 3/8"				7/8"		
	1 1/4"	3 1/4 lbs.		3.52	4 3/8"				7/8"		
	1 1/2"	3 1/2 lbs.		3.52	4 3/8"				7/8"		
	1 3/4"	4 lbs.		4.19	4 1/2"				7/8"		
18 HARDIE	5/8"	1 lb.		1.37	5 1/2"				5/8"		1 3/4"
	3/4"	1 1/4 lbs.		1.37	5 1/2"				3/4"		1 7/8"
	7/8"	1 3/4 lbs.		1.50	5 1/2"				7/8"		2"
	1"	2 lbs.		1.80	5 1/2"				1"		2 1/8"
	1 1/8"	2 1/2 lbs.		2.30	6"				1 1/8"		2 1/4"
	1 1/4"	2 3/4 lbs.		2.40	6"				1 1/4"		2 3/8"

* Handled numbers

Anvil tool handles \$.50 each net




No. 5H
COLD CUTTER



No. 13H
SQUARE FLATTER



No. 15H
TOP FULLER



No. 16
BOTTOM FULLER



No. 18
HARDIE


IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.

ANVIL TOOLS

Catalog No.	Size	Weight Each	Net Price Each (Handled)	Net Price Each Tool Only	Length	Eye No.	Eye Size	Handle Length	Square Shank	Stock At Eye
23 ROUND PUNCH 23H*	1/4"	1 1/4 lbs.	2.19	1.69	6"	3	1/2" x 1"	16"		1 1/8"
	3/8"	1 3/8 lbs.	2.19	1.69	6"	3	1/2" x 1"	16"		1 1/4"
	1/2"	2 lbs.	2.28	1.78	7"	3	5/8" x 1 1/8"	16"		1 1/4"
	5/8"	2 lbs.	2.54	2.04	7"	3	5/8" x 1 1/8"	16"		1 1/4"
	3/4"	2 1/2 lbs.	2.63	2.13	7"	3	5/8" x 1 1/8"	16"		1 3/8"
	7/8"	2 3/4 lbs.	2.89	2.39	7 1/2"	3	5/8" x 1 1/8"	16"		1 3/8"
	1"	3 1/4 lbs.	3.29	2.79	7 1/2"	3	5/8" x 1 1/8"	16"		1 1/2"
24 SQUARE PUNCH 24H*	1/4"	1 1/4 lbs.	2.19	1.69	6"	3	1/2" x 1"	16"		1 1/8"
	3/8"	1 3/8 lbs.	2.19	1.69	6"	3	1/2" x 1"	16"		1 1/4"
	1/2"	2 lbs.	2.28	1.78	7"	3	5/8" x 1 1/8"	16"		1 1/4"
	5/8"	2 lbs.	2.54	2.04	7"	3	5/8" x 1 1/8"	16"		1 1/4"
	3/4"	2 1/2 lbs.	2.63	2.13	7"	3	5/8" x 1 1/8"	16"		1 3/8"
	7/8"	2 3/4 lbs.	2.89	2.39	7 1/2"	3	5/8" x 1 1/8"	16"		1 3/8"
	1"	3 1/4 lbs.	3.29	2.79	7 1/2"	3	5/8" x 1 1/8"	16"		1 1/2"
25 BACKING OUT PUNCH 25H*	1/2"	1 3/4 lbs.	2.47	1.97	7"	3	5/8" x 1 1/8"	16"		1 1/4"
	5/8"	2 lbs.	2.67	2.17	7"	3	5/8" x 1 1/8"	16"		1 1/4"
	3/4"	2 1/2 lbs.	2.85	2.35	7 1/2"	3	5/8" x 1 1/8"	16"		1 3/8"
	7/8"	2 3/4 lbs.	3.02	2.52	8"	3	5/8" x 1 1/8"	16"		1 3/8"
	1"	3 1/4 lbs.	3.17	2.67	8"	3	5/8" x 1 1/8"	16"		1 1/2"
29 TOP SWAGE 29H*	3/8"	2 lbs.	2.83	2.33	4 1/2"	3	5/8" x 1 1/8"	16"		
	1/2"	2 1/4 lbs.	2.83	2.33	4 1/2"	3	5/8" x 1 1/8"	16"		
	5/8"	2 1/4 lbs.	2.98	2.48	4 1/2"	3	5/8" x 1 1/8"	16"		
	3/4"	3 lbs.	2.98	2.48	4 1/2"	3	5/8" x 1 1/8"	16"		
	7/8"	3 lbs.	3.30	2.80	4 3/4"	3	5/8" x 1 1/8"	16"		
	1"	3 1/8 lbs.	3.30	2.80	4 3/4"	3	5/8" x 1 1/8"	16"		
	1 1/4"	3 1/2 lbs.	3.58	3.08	4 3/4"	3	5/8" x 1 1/8"	16"		
	1 1/2"	4 lbs.	4.02	3.52	5"	3	5/8" x 1 1/8"	16"		
30 BOTTOM SWAGE	2"	4 1/2 lbs.	4.69	4.19	5 1/2"	3	5/8" x 1 1/8"	16"		
	3/8"	2 lbs.		2.33	3 1/2"					7/8"
	1/2"	2 1/4 lbs.		2.33	3 1/2"					7/8"
	5/8"	2 1/4 lbs.		2.48	3 3/4"					7/8"
	3/4"	2 1/2 lbs.		2.48	3 3/4"					7/8"
	7/8"	2 1/2 lbs.		2.80	3 3/4"					7/8"
	1"	3 lbs.		2.80	3 3/4"					7/8"
	1 1/4"	3 lbs.		3.08	3 3/4"					7/8"
	1 1/2"	3 1/2 lbs.		3.52	3 7/8"					7/8"
	2"	4 lbs.		4.19	4"					7/8"

* Handled numbers

Anvil tool handles \$.50 each net



IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.




No. 63
CARPENTER'S
WRECKING BAR



No. 63-E
CARPENTER'S
WRECKING BAR



No. 66
STRIPPING BAR




No. 67
STRIPPING BAR



No. 70
RAILROAD CLAW BAR




No. 73
RAILROAD CLAW BAR




No. 74
CROW BAR




No. 75
CROW BAR



No. 82
LINING BAR




No. 86
COAL MINE
SLATE BAR



No. 88
POST HOLE
DIGGER



No. 90
RAILROAD
TAMPING BAR



No. 91
RAILROAD
TAMPING BAR



No. 94
TELEGRAPH BAR

BARS


Catalog No.		Weight Each	Net Price Each	Length	Stock	Blade	Pieces Per Standard Package	Weight Per Std. Package
63	CARPENTER'S WRECKING BAR	1 1/4 lbs.	.20	12"	1/2"		12	16 lbs.
		1 7/8 lbs.	.37	18"	5/8"		12	22 lbs.
		3 3/4 lbs.	.55	24"	3/4"		12	41 lbs.
		4 5/8 lbs.	.63	30"	3/4"		12	50 lbs.
		5 3/8 lbs.	.73	36"	3/4"		6	28 lbs.
		7 1/4 lbs.	1.02	36"	7/8"		6	45 lbs.
63E	CARPENTER'S WRECKING BAR, Extra Quality	1 1/4 lbs.	.52	12"	1/2"		12	16 lbs.
		1 7/8 lbs.	.72	18"	5/8"		12	22 lbs.
		3 3/4 lbs.	.98	24"	3/4"		12	41 lbs.
		4 5/8 lbs.	1.10	30"	3/4"		12	50 lbs.
		5 3/8 lbs.	1.31	36"	3/4"		6	28 lbs.
		7 1/4 lbs.	1.61	36"	7/8"		6	45 lbs.
66	STRIPPING BAR without Claw	5 lbs.	1.51	36"	3/4"		6	30 lbs.
		7 1/2 lbs.	1.57	36"	7/8"		6	45 lbs.
		8 lbs.	1.82	42"	7/8"		6	48 lbs.
		9 1/2 lbs.	2.13	42"	1"		4	38 lbs.
		12 lbs.	2.44	48"	1"		4	48 lbs.
67	STRIPPING BAR with Claw	5 lbs.	2.03	36"	3/4"		6	30 lbs.
		7 1/2 lbs.	2.08	36"	7/8"		6	45 lbs.
		8 lbs.	2.34	42"	7/8"		6	48 lbs.
		9 1/2 lbs.	2.64	42"	1"		4	38 lbs.
		12 lbs.	2.95	48"	1"		4	48 lbs.
70	R. R. CLAW BAR	20 lbs.	5.68	48"		Spike Size 1/2"	2	40 lbs.
		28 lbs.	8.39	60"		Spike Size 9/16"	2	56 lbs.
73	R. R. CLAW BAR Area 11-51 also 11-54	28 lbs.	8.39	60"		Spike Size 9/16" or 5/8"	2	56 lbs.
74	CROW BAR, Wedge Point	6 lbs.	1.62	36"	7/8"		6	36 lbs.
		10 lbs.	2.34	48"	1 1/8"		3	30 lbs.
		12 lbs.	2.62	52"	1 1/8"		3	36 lbs.
		14 lbs.	2.93	54"	1 1/8"		3	42 lbs.
		16 lbs.	3.14	56"	1 1/4"		3	48 lbs.
		18 lbs.	3.50	60"	1 1/4"		3	54 lbs.
		22 lbs.	4.22	64"	1 3/8"		2	44 lbs.
		26 lbs.	5.11	68"	1 3/8"		2	52 lbs.
75	CROW BAR, Pinch Point	6 lbs.	1.62	36"	7/8"		6	36 lbs.
		10 lbs.	2.34	48"	1 1/8"		3	30 lbs.
		12 lbs.	2.62	52"	1 1/8"		3	36 lbs.
		14 lbs.	2.93	54"	1 1/8"		3	42 lbs.
		16 lbs.	3.14	56"	1 1/4"		3	48 lbs.
		18 lbs.	3.50	60"	1 1/4"		3	54 lbs.
		22 lbs.	4.22	64"	1 3/8"		2	44 lbs.
		26 lbs.	5.11	68"	1 3/8"		2	52 lbs.
82	LINING BAR, Diamond Point	18 lbs.	3.50	60"	1 1/4"		3	54 lbs.
		22 lbs.	4.22	64"	1 3/8"		2	44 lbs.
		26 lbs.	5.11	68"	1 3/8"		2	52 lbs.
86	COAL MINE SLATE BAR	11 1/2 lbs.	1.85	48"	1"	2 1/2"	3	35 lbs.
		13 lbs.	1.98	54"	1"	2 1/2"	3	39 lbs.
		14 1/2 lbs.	2.18	60"	1"	2 1/2"	3	44 lbs.
88	POST HOLE DIGGER	18 lbs.	4.44	72"	1"	3" x 11"	3	54 lbs.
90	R. R. TAMPING BAR, Chisel End A.R.E.A.	13 lbs.	5.14	61"	7/8"	1/2" x 4" *	4	42 lbs.
91	R. R. TAMPING BAR, Spear End A.R.E.A.	15 lbs.	6.20	68"	1"	4 3/4" x 7 1/2" **	4	60 lbs.
94	TELEGRAPH BAR, Round Point	28 lbs.	6.24	96"	1 1/8"		2	56 lbs.

* Tamping end

** Spear end

CHISELS


Catalog No.	Octagon Size	Point	Bit	Length	Net Price Each
113 BULL POINT	$\frac{7}{8}$ "			12"	1.41
	$\frac{7}{8}$ "			18"	1.58
	1"			18"	1.82
	$1\frac{1}{4}$ "			24"	3.21
115 BRICK CHISEL	$\frac{7}{8}$ "		3"	7"	.76
	$\frac{7}{8}$ "		$3\frac{1}{2}$ "	7"	.89
	$\frac{7}{8}$ "		4"	7"	1.01
117 HAND COLD CHISEL	$\frac{3}{8}$ "		$\frac{7}{16}$ "	$5\frac{1}{2}$ "	.31
	$\frac{1}{2}$ "		$\frac{5}{8}$ "	6"	.40
	$\frac{5}{8}$ "		$\frac{3}{4}$ "	$6\frac{1}{2}$ "	.58
	$\frac{3}{4}$ "		$\frac{7}{8}$ "	$7\frac{1}{2}$ "	.63
	$\frac{7}{8}$ "		1"	8"	.75
	1"		$1\frac{1}{8}$ "	$8\frac{1}{2}$ "	.96
118 ROUND NOSE CAPE CHISEL	$\frac{1}{2}$ "	$\frac{1}{4}$ "		$6\frac{3}{4}$ "	.58
	$\frac{5}{8}$ "	$\frac{3}{8}$ "		7"	.64
	$\frac{3}{4}$ "	$\frac{1}{2}$ "		$7\frac{1}{4}$ "	.79
	$\frac{7}{8}$ "	$\frac{5}{8}$ "		$7\frac{1}{2}$ "	.86
	1"	$\frac{3}{4}$ "		8"	1.12
119 CAPE CHISEL	$\frac{1}{2}$ "	$\frac{1}{4}$ "		$6\frac{3}{4}$ "	.58
	$\frac{5}{8}$ "	$\frac{3}{8}$ "		7"	.64
	$\frac{3}{4}$ "	$\frac{1}{2}$ "		$7\frac{1}{4}$ "	.79
	$\frac{7}{8}$ "	$\frac{5}{8}$ "		$7\frac{1}{2}$ "	.86
	1"	$\frac{3}{4}$ "		8"	1.12
120 DIAMOND POINT CHISEL	$\frac{5}{8}$ "	$\frac{1}{4}$ "		$7\frac{1}{4}$ "	.66
	$\frac{3}{4}$ "	$\frac{3}{8}$ "		$7\frac{3}{4}$ "	.79
	$\frac{7}{8}$ "	$\frac{1}{2}$ "		8"	1.00
	1"	$\frac{3}{4}$ "		$8\frac{1}{2}$ "	1.37
121 ROUND NOSE CHISEL	$\frac{5}{8}$ "	$\frac{1}{4}$ "		$7\frac{1}{4}$ "	.66
	$\frac{3}{4}$ "	$\frac{3}{8}$ "		$7\frac{3}{4}$ "	.79
	$\frac{7}{8}$ "	$\frac{1}{2}$ "		8"	1.00
	1"	$\frac{3}{4}$ "		$8\frac{1}{2}$ "	1.37
126 HAND PUNCH	$\frac{1}{2}$ "	$\frac{1}{16}$ "		7"	.40
	$\frac{3}{8}$ "	$\frac{1}{8}$ "		$7\frac{1}{2}$ "	.58
	$\frac{3}{4}$ "	$\frac{3}{16}$ "		8"	.63
	$\frac{7}{8}$ "	$\frac{1}{4}$ "		$8\frac{1}{2}$ "	.75
	1"	$\frac{3}{8}$ "		9"	.96




No. 113
BULL POINT



No. 115
BRICK CHISEL




No. 117
HAND COLD
CHISEL




No. 118
ROUND NOSE
CAPE CHISEL



No. 119
CAPE CHISEL



No. 120
DIAMOND POINT
CHISEL




No. 121
ROUND NOSE
CHISEL




No. 126
HAND PUNCH

STONE CUTTERS' TOOLS


Catalog No.		Octagon Size	Point	Bit	Length	Net Price Each
130	STONE CHISEL, Plain Head	5/8"		1"	8"	.65
		5/8"		1 1/2"	8"	.71
		5/8"		2"	8"	.84
131	STONE CHISEL, Plain Head, with Teeth	5/8"		1"	8"	.75
		5/8"		1 1/2"	8"	.81
		5/8"		2"	8"	.94
132	STONE POINT, Plain Head	5/8"			9"	.63
		3/4"			9"	.76
		7/8"			10"	.89
133	PITCHING TOOL, Plain Head	3/4"		2"	8"	1.43
		7/8"		2 1/2"	8"	1.64
134	STONE CHISEL, Mallet Head	5/8"		1"	8"	.95
		5/8"		1 1/2"	8"	1.01
		5/8"		2"	8"	1.14
135	STONE CHISEL, Mallet Head, with Teeth	5/8"		1"	8"	1.06
		5/8"		1 1/2"	8"	1.17
		5/8"		2"	8"	1.25
136	STONE POINT, Mallet Head	5/8"			9"	.94
		3/4"			9"	1.06
		7/8"			10"	1.19
137	PITCHING TOOL, Mallet Head	3/4"		2"	8"	1.73
		7/8"		2 1/2"	8"	1.95
138	LINE TRACER	3/4"		2"	8"	1.43
		7/8"		2 1/2"	8"	1.65



**No. 130
STONE CHISEL**




**No. 131
STONE CHISEL**



**No. 132
STONE POINT**




**No. 133
PITCHING TOOL**



**No. 134
STONE CHISEL**



**No. 135
STONE CHISEL**



**No. 136
STONE POINT**




**No. 137
PITCHING TOOL**



**No. 138
LINE TRACER**


IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.




No. 197H
BUSH HAMMER




No. 203H
STONE CUTTER'S HAMMER




No. 209H
MASON HAMMER




No. 212H
NAPPING HAMMER




No. 222H
SPALLING HAMMER




No. 223H
SPALLING HAMMER



No. 228H
STRIKING HAMMER



No. 229H
STRIKING HAMMER




No. 322H
BLACKSMITH SLEDGE

HAMMERS & SLEDGES


Catalog No.	Weight Each	Net Price Each (Handled)	Net Price Each (Hd. Only)	Handle Length	Eye No.	Eye Size	Length Head	Face	Pieces Per Standard Carton	Lbs. Per Std. Ctn. Handled
197 BUSH HAMMER	4 lbs.	8.12	7.62	16"	3	5/8" x 1 1/8"	6"	1 5/8"	6	27 lbs.
197H*	6 lbs.	12.03	11.53	24"	3	3/4" x 1 3/8"	6 1/4"	1 7/8"	6	29 lbs.
203 STONE CUTTER'S HAMMER, Round Eye	2 lbs.	1.96	1.46	11"	4	3/4"rd.	4 1/4"	1 1/4"	6	15 lbs.
	3 lbs.	2.06	1.56	12"	4	7/8"rd.	4 5/8"	1 3/8"	6	21 lbs.
203H*	4 lbs.	2.27	1.77	12"	4	7/8"rd.	4 7/8"	1 1/2"	6	27 lbs.
209 MASON HAMMER, Single Face	3 lbs.	2.42	1.92	16"	3	5/8" x 1 1/8"	5 1/4"	3/4" x 2 1/4"	6	22 lbs.
	4 lbs.	2.60	2.10	16"	3	5/8" x 1 1/8"	6"	7/8" x 2 3/8"	6	28 lbs.
209H*	6 lbs.	3.47	2.97	24"	3	3/4" x 1 3/8"	7 1/4"	1 1/8" x 2 5/8"	4	28 lbs.
212 NAPPING HAMMER	4 lbs.	2.72	1.72	36"	2	3/4" x 1"	6 3/4"	1 1/4"	6	28 lbs.
212H*	6 lbs.	3.30	2.30	36"	2	1" x 1 1/4"	7 3/4"	1 1/2"	4	28 lbs.
222 SPALLING HAMMER, Single Face	4 lbs.	2.23	1.73	16"	2	3/4" x 1"	6"	1 1/4" x 1 7/8"	6	28 lbs.
	6 lbs.	3.30	2.30	32"	2	1" x 1 1/4"	7 3/8"	1 3/8" x 2 1/8"	4	29 lbs.
222H*	8 lbs.	3.81	2.81	32"	2	1" x 1 1/4"	7 7/8"	1 5/8" x 2 3/8"	4	37 lbs.
	12 lbs.	5.33	4.33	36"	2	1" x 1 3/8"	9"	1 7/8" x 2 5/8"	4	54 lbs.
	16 lbs.	6.67	5.67	36"	2	1" x 1 3/8"	9 3/4"	2 1/8" x 2 7/8"	4	70 lbs.
223 SPALLING HAMMER, Double Face	8 lbs.	3.81	2.81	32"	2	1" x 1 1/4"	7"	1 5/8" x 2 3/8"	4	37 lbs.
	12 lbs.	5.33	4.33	36"	2	1" x 1 3/8"	8"	1 7/8" x 2 5/8"	4	54 lbs.
223H*	16 lbs.	6.67	5.67	36"	2	1" x 1 3/8"	8 3/4"	2 1/8" x 2 7/8"	4	70 lbs.
228 STRIKING HAMMER, (Short) Oregon Pattern	4 lbs.	2.15	1.65	16"	2	3/4" x 1"	4 7/8"	1 5/8"	6	28 lbs.
	6 lbs.	3.15	2.15	32"	2	1" x 1 1/4"	5 1/2"	1 7/8"	4	29 lbs.
228H*	8 lbs.	3.39	2.39	32"	2	1" x 1 1/4"	6 1/4"	2 1/16"	4	37 lbs.
	10 lbs.	3.97	2.97	36"	2	1" x 1 3/8"	6 3/4"	2 1/4"	4	46 lbs.
	12 lbs.	4.41	3.41	36"	2	1" x 1 3/8"	6 7/8"	2 3/8"	4	54 lbs.
	16 lbs.	5.62	4.62	36"	2	1" x 1 3/8"	8 1/4"	2 1/2"	4	70 lbs.
229 STRIKING HAMMER, (Long) Nevada Pattern	3 lbs.	1.91	1.41	16"	2	3/4" x 1"	5 1/4"	1 3/8"	6	22 lbs.
	4 lbs.	2.15	1.65	16"	2	3/4" x 1"	5 3/4"	1 1/2"	6	28 lbs.
229H*	6 lbs.	3.15	2.15	32"	2	1" x 1 1/4"	6 1/2"	1 3/4"	4	29 lbs.
	8 lbs.	3.39	2.39	32"	2	1" x 1 1/4"	7 1/2"	1 7/8"	4	37 lbs.
	10 lbs.	3.97	2.97	36"	2	1" x 1 3/8"	7 1/2"	2"	4	46 lbs.
	12 lbs.	4.41	3.41	36"	2	1" x 1 3/8"	7 3/4"	2 1/4"	4	54 lbs.
	16 lbs.	5.62	4.62	36"	2	1" x 1 3/8"	8 1/4"	2 1/2"	4	70 lbs.
322 BLACKSMITH SLEDGE, Cross Pein	2 lbs.	1.69	1.19	16"	2	5/8" x 7/8"	4 5/8"	1 1/2"	6	15 lbs.
	2 1/2 lbs.	1.75	1.25	16"	2	5/8" x 7/8"	4 3/4"	1 5/8"	6	18 lbs.
(Includes No. 190 Cross Pein Hammer)	3 lbs.	1.91	1.41	16"	2	3/4" x 1"	5"	1 11/16"	6	22 lbs.
	4 lbs.	2.15	1.65	16"	2	3/4" x 1"	5 3/4"	1 13/16"	6	28 lbs.
322H*	6 lbs.	3.30	2.30	32"	2	1" x 1 1/4"	6 1/2"	2 1/16"	4	29 lbs.
	8 lbs.	3.57	2.57	32"	2	1" x 1 1/4"	7 1/4"	2 1/4"	4	37 lbs.
	10 lbs.	4.13	3.13	36"	2	1" x 1 3/8"	7 3/4"	2 1/2"	4	46 lbs.
	12 lbs.	4.70	3.70	36"	2	1" x 1 3/8"	8 1/2"	2 5/8"	4	54 lbs.
	14 lbs.	5.30	4.30	36"	2	1" x 1 3/8"	8 5/8"	2 3/4"	4	62 lbs.
	16 lbs.	5.92	4.92	36"	2	1" x 1 3/8"	8 3/4"	2 7/8"	4	70 lbs.

Handles 30 inches or longer \$1.00 each net
 Handles less than 30 inches \$.50 each net


* Handled numbers




No. 325H
BLACKSMITH SLEDGE




No. 326H
BLACKSMITH SLEDGE



No. 337H
STONE SLEDGE



No. 417
BLACKSMITH LEG VISE



Catalog No.

325 BLACKSMITH SLEDGE,
Double Face

325H*

(Includes No. 200
Blacksmith Double
Face Hammer)

326 BLACKSMITH SLEDGE,
Straight Pein

326H*

337 STONE SLEDGE,
Oval Face

337H*

* Handled numbers

Catalog No.

415 VISE BOX & SCREW

417 BLACKSMITH
LEG VISE

HAMMERS & SLEDGES — Continued

Weight Each	Net Price Each (Handled)	Net Price Each (Head Only)	Handle Length	Eye No.	Eye Size	Length Head	Face	Pieces Per Standard Carton	Pounds Per Standard Carton Handled
2 lbs.	1.66	1.16	16"	2	5/8" x 7/8"	4 1/8"	1 1/2"	6	16 lbs.
2 1/2 lbs.	1.66	1.16	16"	2	5/8" x 7/8"	4 1/4"	1 5/8"	6	18 lbs.
3 lbs.	1.91	1.41	16"	2	3/4" x 1"	4 1/2"	1 11/16"	6	22 lbs.
4 lbs.	2.15	1.65	16"	2	3/4" x 1"	5 1/8"	1 13/16"	6	28 lbs.
6 lbs.	3.15	2.15	32"	2	1" x 1 1/4"	6"	2 1/8"	4	29 lbs.
8 lbs.	3.39	2.39	32"	2	1" x 1 1/4"	6 1/2"	2 1/4"	4	37 lbs.
10 lbs.	3.97	2.97	36"	2	1" x 1 3/8"	7"	2 1/2"	4	46 lbs.
12 lbs.	4.41	3.41	36"	2	1" x 1 3/8"	7 1/2"	2 5/8"	4	54 lbs.
16 lbs.	5.62	4.62	36"	2	1" x 1 3/8"	8 1/4"	2 7/8"	4	70 lbs.
20 lbs.	6.85	5.85	36"	2	1 1/4" x 1 1/2"	9"	3 1/8"	3	65 lbs.
8 lbs.	3.57	2.57	32"	2	1" x 1 1/4"	7 1/4"	2 1/4"	4	37 lbs.
10 lbs.	4.13	3.13	36"	2	1" x 1 3/8"	7 3/4"	2 1/2"	4	46 lbs.
12 lbs.	4.70	3.70	36"	2	1" x 1 3/8"	8 1/2"	2 5/8"	4	54 lbs.
14 lbs.	5.30	4.30	36"	2	1" x 1 3/8"	8 5/8"	2 3/4"	4	62 lbs.
6 lbs.	3.30	2.30	32"	2	1" x 1 1/4"	7"	1 5/8"	4	29 lbs.
8 lbs.	3.81	2.81	32"	2	1" x 1 1/4"	7 1/2"	1 7/8"	4	37 lbs.
10 lbs.	4.58	3.58	36"	2	1" x 1 3/8"	8"	2"	4	46 lbs.
12 lbs.	5.33	4.33	36"	2	1" x 1 3/8"	8 1/2"	2 1/8"	4	54 lbs.
16 lbs.	6.67	5.67	36"	2	1" x 1 3/8"	9"	2 3/8"	4	70 lbs.
20 lbs.	8.03	7.03	36"	2	1 1/4" x 1 1/2"	10"	2 5/8"	3	65 lbs.

Handles 30 inches or longer \$1.00 each net
Handles less than 30 inches \$.50 each net

BLACKSMITH LEG VISES AND PARTS

Size	Net Price Each	For Vise	DIMENSIONS OF VISE BOX					DIMENSIONS OF SCREW		Weight of Box & Screw
			A	B	C	D	E	No.	F	
1	8.10	50 lbs.	7 1/4"	2"	1 3/4"	1 1/2"	3 1/2"	1	1 1/8"	8 3/4 lbs.
2	9.88	70 lbs.	8"	2 1/8"	1 7/8"	1 5/8"	4"	2	1 1/4"	10 1/2 lbs.
4	13.02	100 lbs.	9 3/4"	2 3/4"	2 3/8"	2"	4 3/4"	4	1 1/2"	17 1/2 lbs.
6	21.83	(150 lbs.) (200 lbs.)	10 1/2"	3 3/16"	2 3/4"	6"	6"	6	1 3/4"	27 lbs.
			Jaw Width	Jaw Opening						
50 lbs.	30.83		4 1/4"	4 1/4"						
70 lbs.	39.08		5"	5"						
100 lbs.	61.83		6"	6"						
150 lbs.	105.46		7"	7"						
200 lbs.	142.63		8"	8"						

IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.

**No. 258
COAL PICK**




**No. 259
COAL PICK**



**No. 262
COAL PICK**




**No. 267
COAL PICK**




**No. 269
COAL PICK**




**No. 280
CONTRACTOR PICK**



**No. 282
DRIFTING PICK**



**No. 296
CLAY PICK**



Catalog No.

258 COAL PICK,
Christopher Pattern

259 COAL PICK,
Adze Eye

262 COAL PICK,
Clearfield Pattern

267 COAL PICK,
Standard Pattern

269 COAL PICK,
Cutting Pattern

280 CONTRACTOR PICK

282 DRIFTING PICK

296 CLAY PICK,
(or Railroad)

296-E CLAY PICK,
(or Railroad)
Extra Quality

300 DOUBLE SQUARE
POINT PICK

308 RAILROAD
TAMPING PICK


PICKS

Weight Each	Net Price Each With Handle	Net Price Each Without Handle	Handle Length	Eye No.	Tool Length	Pieces Per Standard Package	Weight Per Standard Pkg. Picks Only	Handle Weight Each
2 lbs.	2.37*	1.37	34"	10	17½"	12	24 lbs.	1½ lbs.
2½ lbs.	2.47*	1.47	34"	10	18½"	12	30 lbs.	1½ lbs.
3 lbs.	2.57*	1.57	34"	10	20"	12	36 lbs.	1½ lbs.
3½ lbs.	2.67*	1.67	34"	10	21"	12	42 lbs.	1½ lbs.
3 lbs.	2.31*	1.31	34"	10	17"	12	37 lbs.	1½ lbs.
4 lbs.	2.42*	1.42	34"	10	18½"	12	49 lbs.	1½ lbs.
5 lbs.	2.54*	1.54	34"	10	19"	12	61 lbs.	1½ lbs.
2½ lbs.	2.20*	1.20	34"	10	17"	12	30 lbs.	1½ lbs.
3 lbs.	2.26*	1.26	34"	10	18"	12	36 lbs.	1½ lbs.
3½ lbs.	2.32*	1.32	34"	10	19½"	12	42 lbs.	1½ lbs.
2½ lbs.	2.20*	1.20	34"	10	16"	12	30 lbs.	1½ lbs.
3 lbs.	2.26*	1.26	34"	10	17"	12	36 lbs.	1½ lbs.
3½ lbs.	2.32*	1.32	34"	10	18"	12	42 lbs.	1½ lbs.
2½ lbs.	2.20*	1.20	34"	10	15"	12	30 lbs.	1½ lbs.
3 lbs.	2.26*	1.26	34"	10	16"	12	36 lbs.	1½ lbs.
3½ lbs.	2.32*	1.32	34"	10	17"	12	42 lbs.	1½ lbs.
8 lbs.	3.42	2.42	36"	6	30"	6	49 lbs.	2½ lbs.
4 lbs.	3.18*	1.68	34"	10	21"	12	49 lbs.	1½ lbs.
5 lbs.	3.33*	1.83	34"	10	25"	12	61 lbs.	1½ lbs.
6 lbs.	3.41*	1.91	34"	10	26"	12	73 lbs.	1½ lbs.
5 lbs.	2.69	1.69	36"	6	21"	6	31 lbs.	2½ lbs.
6 lbs.	2.80	1.80	36"	6	23"	6	37 lbs.	2½ lbs.
7 lbs.	2.94	1.94	36"	6	25"	6	43 lbs.	2½ lbs.
8 lbs.	3.15	2.15	36"	6	26"	6	49 lbs.	2½ lbs.
9 lbs.	3.31	2.31	36"	6	27"	6	55 lbs.	2½ lbs.
5 lbs.	3.18	2.18	36"	6	21"	6	31 lbs.	2½ lbs.
6 lbs.	3.28	2.28	36"	6	23"	6	37 lbs.	2½ lbs.
7 lbs.	3.45	2.45	36"	6	25"	6	43 lbs.	2½ lbs.
8 lbs.	3.56	2.56	36"	6	26"	6	49 lbs.	2½ lbs.
9 lbs.	3.74	2.74	36"	6	27"	6	55 lbs.	2½ lbs.
6 lbs.	2.80	1.80	36"	6	23"	6	37 lbs.	2½ lbs.
7 lbs.	2.94	1.94	36"	6	25"	6	43 lbs.	2½ lbs.
8 lbs.	3.15	2.15	36"	6	26"	6	49 lbs.	2½ lbs.
8 lbs.	3.61	2.61	36"	6	24½"	6	49 lbs.	2½ lbs.


* Handles Inserted

Order handles by eye number.

**No. 296-E
CLAY PICK**



**No. 300
DOUBLE SQUARE
POINT PICK**




**No. 308
RAILROAD
TAMPING PICK**




IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.

TONGS


Catalog No.		Over-All Length	Net Price Each	To Hold Material	Lip Size	Jaw Depth	Rein Size	Weight Each
350	STRAIGHT LIP TONGS	16"	3.05		1/8" x 3/4"	25/8"	3/8" x 12 3/8"	1 3/4 lbs.
		18"	3.10		1/8" x 3/4"	25/8"	3/8" x 14 3/8"	2 lbs.
		20"	3.11		3/16" x 7/8"	3"	5/8" x 15 3/4"	2 1/4 lbs.
		24"	3.36		1/4" x 1"	3"	7/16" x 19 3/4"	3 lbs.
351	CURVED LIP OR BOLT TONGS	18"	3.36	3/8"	1/8" x 5/8"	3 1/8"	3/8" x 13 7/8"	1 3/4 lbs.
		20"	3.62	1/2"	1/8" x 3/4"	3 3/8"	3/8" x 15 1/8"	2 lbs.
		22"	3.62	5/8"	3/16" x 1"	3 3/8"	7/16" x 17 1/8"	2 1/4 lbs.
		22"	3.62	3/4"	3/16" x 1"	3 3/8"	7/16" x 17 1/8"	2 1/4 lbs.
		24"	3.80	7/8"	3/16" x 1 1/8"	3 1/2"	1/2" x 19 1/8"	2 3/4 lbs.
		24"	3.80	1"	3/16" x 1 1/8"	3 1/2"	7/16" x 19 1/8"	2 3/4 lbs.
		26"	3.95	1 1/2"	1/4" x 3/4"	5"	9/16" x 19 1/2"	3 1/2 lbs.
352	GAD FLAT JAW TONGS	18"	3.11		1/4" x 3/4"	3"	7/16" x 14"	1 3/4 lbs.
		20"	3.19		1/4" x 3/4"	3"	3/8" x 15 3/4"	2 lbs.
		24"	3.36		1/4" x 3/4"	3 1/8"	7/16" x 19 5/8"	2 3/4 lbs.
354	SINGLE PICK-UP TONGS	16"	3.11		3/16" x 1/2"	3 1/4"	3/8" x 11 5/8"	1 1/2 lbs.
		18"	3.18		3/16" x 1/2"	3 1/4"	3/8" x 13 5/8"	1 3/4 lbs.
		20"	3.19		3/16" x 1/2"	3 1/4"	3/8" x 15 5/8"	2 lbs.
		24"	3.38		3/16" x 1/2"	3 1/4"	3/8" x 19 5/8"	2 1/4 lbs.
355	DOUBLE PICK-UP TONGS	16"	3.11		3/16" x 1/2"	4 5/8"	3/8" x 10 1/4"	1 1/2 lbs.
		18"	3.18		3/16" x 1/2"	4 5/8"	3/8" x 12 1/4"	1 3/4 lbs.
		20"	3.19		3/16" x 1/2"	4 5/8"	3/8" x 14 1/4"	2 lbs.
		24"	3.38		3/16" x 1/2"	4 5/8"	3/8" x 18 1/4"	2 1/4 lbs.
358	RIVET TONGS	18"	3.19	5/8"	1/8" x 1/2"	3 1/4"	3/8" x 13 5/8"	1 3/4 lbs.
		24"	3.63	5/8"	1/8" x 1/2"	3 1/4"	3/8" x 19 5/8"	2 1/4 lbs.
365	RIVET STICKER TONGS	18"	3.19	5/8"	1/8" x 1/2"	3 3/4"	3/8" x 13 1/8"	1 1/2 lbs.
366	HEATING OR THROWING TONGS	30"	3.88	5/8"	1/8" x 1/2"	3 3/4"	5/16" x 25 1/8"	2 lbs.




**No. 350
STRAIGHT LIP
TONGS**




**No. 351
CURVED LIP
OR BOLT TONGS**




**No. 352
GAD FLAT
JAW TONGS**




**No. 354
SINGLE PICK-UP
TONGS**




**No. 355
DOUBLE PICK-UP
TONGS**



**No. 358
RIVET TONGS**




**No. 365
RIVET STICKER
TONGS**




**No. 366
HEATING OR
THROWING TONGS**

WEDGES

Catalog No.		Weight Each	Net Price Each	Head	Bit	Tool Length	Pieces Per Standard Carton	Weight Per Standard Carton
372	COAL WEDGE	2 lbs.	.57	$\frac{3}{4}" \times 1"$		$9\frac{3}{4}"$		
		$2\frac{1}{2}$ lbs.	.60	$\frac{7}{8}" \times 1\frac{1}{8}"$		$10\frac{1}{4}"$		
		3 lbs.	.70	$1\frac{5}{16}" \times 1\frac{3}{16}"$		11"		
		4 lbs.	.86	$1" \times 1\frac{1}{4}"$		12"		
383	CEDAR WEDGE	6 lbs.	1.78	$1\frac{7}{8}" \times 2\frac{1}{8}"$	$3\frac{1}{2}"$	9"		
		8 lbs.	2.35	$2" \times 2\frac{1}{4}"$	4"	10"		
386	BUCKING WEDGE	6 lbs.	2.27	$1\frac{1}{8}" \times 2\frac{3}{8}"$	$5\frac{1}{2}"$	$9\frac{1}{4}"$		
		8 lbs.	2.67	$1\frac{1}{4}" \times 2\frac{5}{8}"$	6"	10"		
387	FALLING WEDGE	6 lbs.	2.27	$1" \times 2\frac{3}{8}"$	6"	10"		
		8 lbs.	2.67	$1" \times 2\frac{5}{8}"$	$6\frac{1}{2}"$	$11\frac{1}{2}"$		
393	SPLITTING WEDGE	6 lbs.	1.98	$1\frac{7}{8}"$	4"	$8\frac{3}{4}"$		
		8 lbs.	2.53	$2\frac{1}{8}"$	$4\frac{1}{4}"$	$9\frac{1}{2}"$		
394	TRUCKEE WEDGE	4 lbs.	1.04	$1\frac{7}{16}"$	$1\frac{7}{8}"$	$8\frac{3}{4}"$	6	25 lbs.
		5 lbs.	1.11	$1\frac{9}{16}"$	2"	$9\frac{1}{4}"$	6	31 lbs.
		6 lbs.	1.27	$1\frac{11}{16}"$	$2\frac{1}{8}"$	10"	6	37 lbs.
		8 lbs.	1.61	$1\frac{15}{16}"$	$2\frac{3}{8}"$	11"		
397	SAW WEDGE	$\frac{1}{2}$ lb.	.57	$\frac{9}{16}" \times 1\frac{3}{16}"$	$1\frac{3}{4}"$	5"		
		1 lb.	.70	$\frac{9}{16}" \times 1"$	$2\frac{1}{8}"$	6"		
		2 lbs.	.82	$1\frac{3}{16}" \times 1\frac{1}{4}"$	$2\frac{3}{8}"$	$7\frac{1}{2}"$		
		3 lbs.	.99	$\frac{7}{8}" \times 1\frac{3}{8}"$	$3\frac{1}{8}"$	9"		
400	SQUARE HEAD WEDGE	3 lbs.	.84	$1\frac{1}{2}"$	$1\frac{3}{4}"$	$8\frac{1}{4}"$	6	19 lbs.
		4 lbs.	.93	$1\frac{5}{8}"$	$1\frac{7}{8}"$	$8\frac{3}{4}"$	6	25 lbs.
		5 lbs.	.99	$1\frac{3}{4}"$	2"	$9\frac{1}{4}"$	6	31 lbs.
		6 lbs.	1.16	$1\frac{7}{8}"$	$2\frac{1}{8}"$	10"	6	37 lbs.
		8 lbs.	1.52	$2\frac{1}{8}"$	$2\frac{3}{8}"$	11"		
404	STAVE WEDGE	3 lbs.	.97	$1\frac{1}{4}" \times 1\frac{7}{8}"$	$3\frac{3}{8}"$	$6\frac{1}{2}"$	6	19 lbs.
		4 lbs.	1.16	$1\frac{3}{8}" \times 2"$	$3\frac{5}{8}"$	$7\frac{1}{2}"$	6	25 lbs.
406	SAW WEDGE, Aluminum	1 lb.	.90	$1\frac{3}{4}" \times 1"$	$2\frac{3}{8}"$	7"		




No. 372
COAL WEDGE




No. 383
CEDAR WEDGE




No. 386
BUCKING WEDGE




No. 387
FALLING WEDGE




No. 393
SPLITTING WEDGE




No. 394
TRUCKEE WEDGE




No. 397
SAW WEDGE




No. 400
SQUARE HEAD
WEDGE




No. 404
STAVE WEDGE



No. 406
SAW WEDGE



No. 424
CUTTER MATTOCK



No. 424-E
CUTTER MATTOCK



No. 430
PICK MATTOCK




No. 430-E
PICK MATTOCK




No. 431
LITTLE DIGGER




No. 432
LITTLE DIGGER




No. 433
LITTLE DIGGER



No. 435
ACCOMAC HOE



No. 437
SPEC. HAZEL HOE



No. 438
HAZEL HOE

Catalog No.

Weight
Each


424	CUTTER MATTOCK	3 lbs.
		5 lbs.
		6 lbs.
424-E	CUTTER MATTOCK, Extra Quality	3 lbs.
		5 lbs.
		6 lbs.
430	PICK MATTOCK	5 lbs.
		6 lbs.
430-E	PICK MATTOCK, Extra Quality	5 lbs.
		6 lbs.
431*	LITTLE DIGGER, Cutter Mattock	1¾ lbs.
432*	LITTLE DIGGER, Dble. Blade Mattock	1¾ lbs.
433*	LITTLE DIGGER, Pick Mattock	1¾ lbs.
435	ACCOMAC HOE	4½ lbs.
437	SPEC. HAZEL HOE	3½ lbs.
438	HAZEL HOE	3 lbs.
439	PALMETTO HOE	5¼ lbs.
440	GRUB HOE	3½ lbs.
440-E	GRUB HOE, Extra Quality	3½ lbs.
441	JOE DAWSON SR. HOE	5¼ lbs.
442	JOE DAWSON JR. HOE	4½ lbs.

MATTOCKS AND HOES

Net Price Each With (Uninserted Handles)	Net Price Each Tool Only	Handle Length	Eye No.	Tool Length	Size Blade or Hoe	Size Cutter or Point	Pieces Per Standard Carton	Weight Per Standard Carton Tools Only	Handle Weight Each
2.81	1.81	36"	7	13 $\frac{1}{4}$ "	3" x 6 $\frac{1}{2}$ "	2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ "	6	19 lbs.	1 $\frac{3}{4}$ lbs.
2.96	1.96	36"	6	15 $\frac{1}{2}$ "	3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "	3" x 5"	6	31 lbs.	2 $\frac{1}{2}$ lbs.
3.10	2.10	36"	6	16 $\frac{1}{2}$ "	4" x 8"	3 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ "	6	37 lbs.	2 $\frac{1}{2}$ lbs.
3.38	2.38	36"	7	13 $\frac{1}{4}$ "	3" x 6 $\frac{1}{2}$ "	2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ "	6	19 lbs.	1 $\frac{3}{4}$ lbs.
3.56	2.56	36"	6	15 $\frac{1}{2}$ "	3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "	3" x 5"	6	31 lbs.	2 $\frac{1}{2}$ lbs.
3.63	2.63	36"	6	16 $\frac{1}{2}$ "	4" x 8"	3 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ "	6	37 lbs.	2 $\frac{1}{2}$ lbs.
2.98	1.98	36"	6	18"	3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "	7 $\frac{1}{2}$ "	6	31 lbs.	2 $\frac{1}{2}$ lbs.
3.15	2.15	36"	6	19"	4" x 8"	8"	6	37 lbs.	2 $\frac{1}{2}$ lbs.
3.58	2.58	36"	6	18"	3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "	7 $\frac{1}{2}$ "	6	31 lbs.	2 $\frac{1}{2}$ lbs.
3.66	2.66	36"	6	19"	4" x 8"	8"	6	37 lbs.	2 $\frac{1}{2}$ lbs.
1.98	1.44	36"	Special	11 $\frac{3}{4}$ "	3" x 6"	2 $\frac{1}{4}$ " x 4 $\frac{1}{4}$ "	6	12 lbs.	1 lb.
2.07	1.44	48"							1 $\frac{1}{4}$ lbs.
1.98	1.44	36"	Special	13 $\frac{3}{4}$ "	3" x 6"	1 $\frac{1}{4}$ " x 6"	6	12 lbs.	1 lb.
2.07	1.44	48"							1 $\frac{1}{4}$ lbs.
1.98	1.44	36"	Special	13 $\frac{3}{4}$ "	3" x 6"	6 $\frac{1}{4}$ "	6	12 lbs.	1 lb.
2.07	1.44	48"							1 $\frac{1}{4}$ lbs.
3.61	2.61	36"	8	11 $\frac{3}{8}$ "	6" x 8"		12	55 lbs.	2 $\frac{1}{4}$ lbs.
3.54	2.54	36"	8	9 $\frac{7}{8}$ "	5" x 6 $\frac{1}{2}$ "		12	43 lbs.	2 $\frac{1}{4}$ lbs.
3.75	2.75	36"	9	10 $\frac{1}{4}$ "	6" x 7 $\frac{1}{2}$ "		12	37 lbs.	1 $\frac{3}{4}$ lbs.
4.68	3.68	36"	8	12 $\frac{3}{8}$ "	6" x 9"		12	64 lbs.	2 $\frac{1}{4}$ lbs.
2.79	1.79	36"	8	10 $\frac{7}{8}$ "	3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "		12	43 lbs.	2 $\frac{1}{4}$ lbs.
3.14	2.14	36"	8	10 $\frac{7}{8}$ "	3 $\frac{1}{2}$ " x 7 $\frac{1}{2}$ "		12	43 lbs.	2 $\frac{1}{4}$ lbs.
4.68	3.68	36"	8	12 $\frac{3}{8}$ "	6 $\frac{1}{4}$ " x 9"		12	64 lbs.	2 $\frac{1}{4}$ lbs.
4.50	3.50	36"	8	11 $\frac{3}{8}$ "	5 $\frac{1}{2}$ " x 8"		12	55 lbs.	2 $\frac{1}{4}$ lbs.

* 36-inch Handles \$.54 each net
48-inch Handles \$.63 each net


All other hoe and mattock handles \$1.00 each, net.
When ordering handles specify eye number.




**No. 439
PALMETTO HOE**




**No. 440
GRUB HOE**



**No. 440-E
GRUB HOE**



**No. 441
JOE DAWSON SR.
HOE**




**No. 442
JOE DAWSON JR.
HOE**




No. 122H
TRACK CHISEL




No. 160
RAIL FORK



No. 161
RAIL TONGS



No. 162
TIMBER TONGS




No. 238H
SPIKE MAUL



No. 239H
SPIKE MAUL



No. 344
SPIKE PULLER



No. 367
HUNTINGTON TRACK GAGE

Catalog No.		Weight Each	Net Price Each Handled
122	TRACK CHISEL	5½ lbs.	3.97
122H**			
160	RAIL FORK	13 lbs.	4.79
161	RAIL TONGS*	18 lbs.	6.92
162	TIMBER TONGS, Two Man*	12 lbs.	6.00
238	SPIKE MAUL, Standard Pattern	6 lbs.	3.16
		8 lbs.	3.43
238H**		10 lbs.	3.97
239	SPIKE MAUL, Bell Pattern		
239H**		10 lbs.	4.08
344	SPIKE PULLER	2½ lbs.	2.24
367	HUNTINGDON TRACK GAGE*	17 lbs.	9.95
369	STEP LEVEL BOARD	7½ lbs.	13.04
407	TRACK WRENCH, Single End*	8 lbs.	3.60
		10 lbs.	4.22
		12 lbs.	4.64
		14 lbs.	5.32
		16 lbs.	7.16
		18 lbs.	9.43
408	TRACK WRENCH, Double End*	10 lbs.	6.45
		12 lbs.	6.86
		14 lbs.	7.80
		15 lbs.	9.99

RAILWAY MAINTENANCE TOOLS

Net Price Each	Length	Eye No.	Eye Size	Handle Length	Blade or Bit	Small Face	Large Face	A.R.E.A. Plan	Size Bolt	Maximum Jaw Opening
3.47	9½"	3	¾" x 1⅜"	24"	1⅛"					
	30"									¾" x 5¼"
								No. 6		¾"
								No. 8		15½"
2.16	10¾"	2	1" x 1¼"	32"		¾"	1¼"			
2.43	11⅝"	2	1" x 1⅜"	36"		⅞"	1⅜"			
2.97	12½"	2	1" x 1⅜"	36"		1"	1¾"			
3.08	15"	2	1" x 1⅜"	36"		1¼"	1⅝"	No. 3		
	12"							No. 9		
	60¼"							No. 20		
	78¼"									
	30"							No. 4	¾"	15⅙"
	36"							No. 4	⅞"	1½"
	42"							No. 4	1"	1⅙"
	48"							No. 4	1⅛"	1⅞"
	48"							No. 4	1¼"	2⅙"
	54"							No. 4	1⅜"	2¼"
	36"							No. 4	¾" & ⅞"	15⅙"-1½"
	42"							No. 4	⅞" & 1"	1½"-1⅙"
	48"							No. 4	1" & 1⅛"	1⅙"-1⅞"
	48"							No. 4	1⅛" & 1¼"	1⅞"-2⅙"


* A.R.E.A Specifications

Handles 24" \$.50 each net

** Handled numbers

Others \$1.00 each net


**No. 369
STEP LEVEL BOARD**



**No. 407
TRACK WRENCH**



**No. 408
TRACK WRENCH**



IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.

MISCELLANEOUS TOOLS

Catalog No.	Weight Each	Net Price Each Handled	Net Price Each	Length	Eye No.	Eye Size	Handle Length	Head	Bit	Stock at Eye	Pieces Per Std. Carton	Weight Per Std. Carton Tools Only
111 BIT CHIPPER	3 lbs.	3.52	3.02	7"	3	5/8" x 1 1/8"	16"	1 3/8"	2"	1 1/2"		
111H*	5 lbs.	5.11	4.61	8"	3	3/4" x 1 3/8"	24"	1 5/8"	2"	1 3/4"		
241 SHIP OR TOP MAUL	5 lbs.	3.87	2.87	8 3/4"	2	1" x 1 1/4"	32"	1 7/8"		1 7/8"	4	21 lbs.
241H*												
246 WOODCHOPPER'S MAUL	6 lbs.	3.43	2.43	8"	2	1" x 1 1/4"	32"	1 3/4"	3 3/8"	2"	4	25 lbs.
246H* Oval Eye	8 lbs.	3.97	2.97	9"	2	1" x 1 1/4"	32"	1 7/8"	3 3/4"	2 1/8"	4	33 lbs.
249 WOODCHOPPER'S MAUL	6 lbs.	3.43	2.43	8 1/4"	5	7/8" x 2 1/8"	32"	1 3/4"	3 3/8"	2"	4	25 lbs.
249H* Axe Eye	8 lbs.	3.97	2.97	9"	5	7/8" x 2 1/8"	32"	1 7/8"	3 5/8"	2 1/8"	4	33 lbs.

DRIFT PINS

Catalog No.	Size of Stock	Net Price Each	Length	Taper Length	For Holes	Shipping Weight Each
141 DRIFT PIN, REGULAR TYPE	9/16"	.22	5 1/2"	1 1/8"-2 1/8"	1/2"	1/4 lb.
	1 1/16"	.24	6 1/2"	1 3/8"-2 3/8"	5/8"	1/2 lb.
	1 3/16"	.25	7"	1 1/2"-2 1/2"	3/4"	3/4 lb.
	1 5/16"	.27	7 1/2"	1 3/4"-2 3/4"	7/8"	1 1/8 lbs.
	1 11/16"	.29	8"	1 3/4"-2 3/4"	1"	1 5/8 lbs.
142 DRIFT PIN, BARREL TYPE	9/16"	.22	6"	2 1/8"-2 1/8"	1/2"	1/4 lb.
	1 1/16"	.24	7"	2 3/8"-2 3/8"	5/8"	1/2 lb.
	1 3/16"	.25	7 1/2"	2 1/2"-2 1/2"	3/4"	3/4 lb.
	1 5/16"	.27	8"	2 3/4"-2 3/4"	7/8"	1 1/8 lbs.
	1 11/16"	.29	8 1/2"	2 3/4"-2 3/4"	1"	1 5/8 lbs.

NOTE: Keg lot prices on application

CONSTRUCTION WRENCH

Catalog No.	Bolt Size	Net Price Each	Length	Maximum Jaw Opening	Head Size	Point Size	Weight Each
410 CONSTRUCTION WRENCH	3/8"	1.79	12"	2 3/32"	1 1/2" x 2"	1/4"	1 1/4 lbs.
	1/2"	1.79	12"	2 9/32"	1 1/2" x 2 1/8"	1/4"	1 1/4 lbs.
	5/8"	2.05	15"	1 3/32"	9/16" x 2 5/8"	3/8"	2 1/4 lbs.
	3/4"	2.25	17"	1 9/32"	1 1/16" x 2 7/8"	3/8"	2 3/4 lbs.
	7/8"	2.33	18"	1 1/2"	3/4" x 3 1/8"	3/8"	3 1/4 lbs.
	1"	2.68	20"	1 11/16"	7/8" x 3 1/4"	1/2"	5 1/2 lbs.
	1 1/8"	3.08	26"	1 7/8"	7/8" x 3 1/2"	1/2"	6 1/4 lbs.
	1 1/4"	4.61	26"	2 1/16"	7/8" x 3 3/4"	1/2"	7 1/4 lbs.

* Handled numbers




No. 111H
BIT CHIPPER




No. 241H
SHIP OR TOP MAUL




No. 246H
WOODCHOPPER'S MAUL



No. 249H
WOODCHOPPER'S MAUL



No. 141
REGULAR TYPE
DRIFT PIN



No. 142
BARREL TYPE
DRIFT PIN



No. 410
CONSTRUCTION
WRENCH

IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.

Iron City constantly strives to produce tools in types and finishes most needed by today's markets. Your comments and recommendations on the form below will help us to better serve your individual needs.

Your Company _____

Address _____

Your Name _____

What is your opinion of our present line of tools? _____

What can we do to improve our line of tools? _____

What items not now included in our line do you advise adding? _____

Your customers will find this catalog a handy reference and a great help in ordering tools correctly. For additional catalogs, with *list* prices, fill out the coupon below.

Name _____ Title _____

Company _____

Address _____

City _____ Zone _____ State _____

Phone No. _____ No. of Catalogs
you desire _____

IRON CITY TOOL WORKS, Inc. — 3201 Smallman Street, Pittsburgh 1, Pa.



IRON CITY TOOL WORKS, INC.
3201 Smallman Street Pittsburgh 1, Pa. U.S.A.

Manufacturers of { PICKS • MATTOCKS • HOES • SLEDGES • WEDGES
CHISELS • BARS • TRACK TOOLS • TONGS
BLACKSMITH LEG VISES • ANVIL TOOLS

QUOTATIONS SUBJECT TO CHANGE WITHOUT NOTICE. ALL
AGREEMENTS ARE CONTINGENT UPON STRIKES, ACCIDENTS,
AND OTHER DELAYS BEYOND OUR CONTROL.

CABLE ADDRESS "IRON CITY"

CODES { "BENTLEYS"
"A. B. C. 5th & 6th"
"WESTERN UNION"